

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/750,336	12/31/2003	Morrie Gasser	EMC03-34(03149)	4698
22468 CHAPIN & HU	7590 01/14/2008 JANG L. L. C.	EXAMINER .		
WESTBOROU	GH OFFICE PARK		JEAN, FRANTZ B	
1700 WEST PA WESTBOROU	ARK DRIVE IGH, MA 01581	. •	ART UNIT	PAPER NUMBER
., 2012 0110 0			2154	
	•		MAIL DATE	DELIVERY MODE
			01/14/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		1 4 10 40						
Office Action Summary		Applicatio	n No.	Applicant(s)				
		10/750,33	6	GASSER ET AL.				
		Examiner		Art Unit				
		Frantz B. J		2154				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE OF THE MAILING O	ATE OF TH 36(a). In no eve will apply and will e, cause the appli	IS COMMUNICATION nt, however, may a reply be time expire SIX (6) MONTHS from to cation to become ABANDONED	.' ely filed he mailing date of this communication (35 U.S.C. § 133).				
Status					-			
1)⊠	Responsive to communication(s) filed on 30 O	october 2007	·	•				
2a)⊠	This action is FINAL . 2b) This action is non-final.							
3)[Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
	closed in accordance with the practice under E	Ex parte Qua	ayle, 1935 C.D. 11, 45	3 O.G. 213.				
Dispositi	on of Claims							
4)⊠	Claim(s) 1-35 is/are pending in the application.			•				
	4a) Of the above claim(s) is/are withdrawn from consideration.							
5)	Claim(s) is/are allowed.			•				
6)⊠	6)⊠ Claim(s) <u>1,2,4,6-8,10,11,15,16,18,20-22,24,25 and 29-35</u> is/are rejected.							
	Claim(s) 3,5,9,12-14,17,19,23 and 26-28 is/are	-						
8 <u>)</u> [_	Claim(s) are subject to restriction and/o	or election re	quirement.					
Applicati	on Papers		•					
9)[The specification is objected to by the Examine	er.						
10)[The drawing(s) filed on is/are: a) ☐ acco	epted or b)[objected to by the E	xaminer.				
	Applicant may not request that any objection to the	drawing(s) b	e held in abeyance. See	37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority ι	ınder 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:								
	1. Certified copies of the priority documents have been received.							
	2. Certified copies of the priority documents have been received in Application No							
	3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).								
* See the attached detailed Office action for a list of the certified copies not received.								
Attach	***************************************							
Attachmen 1) Notice	t(s) e of References Cited (PTO-892)		4) Interview Summary (DTO 412)				
2) 🔲 Notic	e of Draftsperson's Patent Drawing Review (PTO-948)		Paper No(s)/Mail Da	te				
	nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date		5) Notice of Informal Pa	atent Application				

This office action is in response to applicants' response filed on 10/30/07. Claims 1-35 are pending in this application.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-2, 4, 6-8, 10-11, 15-16, 18, 20-22, 24-25 and 29-35 are rejected under 35 U.S.C. 102(e) as being anticipated by Li et al. US publication Number 2003/0093509 A1.

As per claims 1 and 29, Li teaches in a management application, a method and computer program product for applying a management action to a resource (see abstract), the method comprising: receiving a selection of a resource representation in a network environment that represents a resource to which a management action is to be applied (see abstract; paragraphs 0069, 0116, 0135 and 0240); applying a series of resource traversal functions to a repository containing objects representative of network resources in the network environment, the traversal functions identifying a set of action affected resources in the network environment existing along a set of relationship paths extending to at least one storage device that have a current allocation relationship to the selected resource (paragraphs 0608 and 0611; 0501 and 0502); and presenting a representation of the set of action affected resources in the network environment to a user of the management application, the representation of the set of action affected resources informing the user of resources within the storage area network that are currently in an functional relationship with the selected resource to which a management action is to be applied and that may be affected if the management action is to be applied to the selected resource (paragraphs 0608 and 0611; 0501 and 0502).

As per claim 2, Li The method of claim 1 wherein applying a series of resource traversal functions comprises: applying a going down function to the

Art Unit: 2154

repository containing objects representative of resources to identify a set of downward resources in the network environment that have a downward allocation relationship to the selected resource, the downward allocation relationship indicating resources that the selected resource depends upon and that are in operational use during access to data by the selected resource on a downward allocation path beginning at the selected resource and extending downward through the network environment and terminating at physical storage devices that store the data accessed by the selected resource (see par 0082-0086 and 0109-0110, wherein downward or upward allocation relationship is part of the hierarchical tree and associated nodes arrangement scheme or function described in Li and in combination with the traversing operational relationships of objects).

As per claim 4, Li teaches a method of claim 2 wherein applying a series of resource traversal functions comprises: applying a going up function to the repository containing objects representative of resources to identify a set of upward resources in the network environment that have an upward allocation relationship to the selected resource, the upward allocation relationship indicating resources that depend upon operational use of resources in the set of downward resources but that exist on an upward allocation path beginning at the physical storage devices that store the data accessed by the selected resource as identified in the set of downward resources and extending upward through the network to top-level resources comprising at least one host device resource other than host device resources identified in the set of downward resources (see par 0082-0086 and 0109, wherein downward or upward allocation relationship is part of the hierarchical tree and associated nodes scheme or function described in Li).

As per claim 6, Li teaches a method or claim 4 wherein applying a series of resource traversal functions comprises: applying a closure function to the repository containing objects representative of resources to identify a set of closure resources in the network environment that have an indirect relationship to any resources in the set of upward and downward resources, the set of closure resources indicating resources that would be affected by a change made to operation of resources (Li teaches a set of closure resources indication resources affected by a change; see par 0110-0113).

As per claim 7, Li teaches a method of claim 6 wherein applying a series of resource traversal functions including the going down function, the going up function and the closure function comprises: identifying a collective set of action-affected resources that relate to operation of the selected resource and include the set of downward resources, the set of upward resources and the set of closure resources on data flow paths within the network environment (see par 0111-0112).

As per claim 8, Li teaches a method of claim 7 comprising: receiving a final selection of resource representations in the network environment that represent resources to which a management action is to be

10/750,336 Art Unit: 2154

applied, the final selection being made from the collective set of action-affected resources that relate to operation of the selected resource (remove device); and applying the management action to the final selection of resource representations (par 0111-0112).

As per claim 10, Li teaches a method of claim 8 wherein the management application is a storage management application and the management action is deallocation of resources that operate to store data under management of the management application (par 01289; deallocating LUNs).

As per claim 11, Li teaches a method of claim 10 wherein: objects representative of resources in the network environment in the repository are hierarchically arranged in an order and include host objects representing host resources and storage objects representing storage resources in allocated by the host resources and where the host objects are hierarchically above the storage objects in the hierarchically arranged order; and wherein the selected resource representation corresponds to a host object resources (par 0082-0086); and wherein applying the going down function comprises:

traversing operational relationships of host objects, beginning at the selected resource host object in the repository, to identify successive host and storage objects linked in an operational path ending at least one storage object that is a storage device, the going down function thus identifying each host and storage resource allocated for use during access to data in the storage device object by the selected host object resource (par 0110-0111).

As per claim 15, Li teaches a computer system comprising: a memory (fig 1, database);

- a processor (12);
- a display (GUI, view);
- a repository (14);

an interconnection mechanism coupling the memory, the processor, the display and the repository (see fig 1-2); and

wherein the memory is encoded with a management application including a resource manager application that, when executed on the processor, provides a management process that includes a resource manager that applies a management action to a resource (SAN Manager 20) by performing, in the computer system, the operations of:

receiving, via a graphical user interface on the display, a selection of a resource representation in a network environment that represents a resource to which a management action is to be applied (see abstract; paragraphs 0069, 0116, 0135 and 0240);

applying a series of resource traversal functions to the repository containing objects representative of network resources in the network environment, the traversal functions identifying a set of action affected resources in the network environment existing along a set of relationship paths extending to at least one storage device that have a current allocation relationship to the selected resource (paragraphs 0608 and 0611; 0501 and 0502); and presenting a representation of the set of action affected resources in the network environment to a user of the management application, the representation of the

10/750,336 Art Unit: 2154

set of action affected resources informing the user of resources within the storage area network that are currently in an functional relationship with the selected resource to which a management action is to be applied and that may be affected if the management action is to be applied to the selected resource (paragraphs 0608 and 0611; 0501 and 0502).

As per claim 16, Li teaches a computer system of claim 15 wherein when the resource manager performs the operation of applying a series of resource traversal functions, the resource manager performs the operation of: applying a going down function to the repository containing objects representative of resources to identify a set of downward resources in the network environment that have a downward allocation relationship to the selected resource, the downward allocation relationship indicating resources that the selected resource depends upon and that are in operational use during access to data by the selected resource on a downward allocation path beginning at the selected resource and extending downward through the network environment and terminating at physical storage devices that store the data accessed by the selected resource (see par 0082-0086 and 0109-0110, wherein downward or upward allocation relationship is part of the hierarchical tree and associated nodes arrangement scheme or function described in Li and in combination with the traversing operational relationships of objects).

As per claim 18, Li teaches a computer system of claim 16 wherein when the resource manager performs the operation of applying a series of resource traversal functions, the resource manager performs the operation of: applying a going up function to the repository containing objects representative of resources to identify a set of upward resources in the network environment that have an upward allocation relationship to the selected resource, the upward allocation relationship indicating resources that depend upon operational use of resources in the set of downward resources but that exist on an upward allocation path beginning at the physical storage devices that store the data accessed by the selected resource as identified in the set of downward resources and extending upward through the network to top-level resources comprising at least one host device resource other than host device resources identified in the set of downward resources (see par 0082-0086 and 0109-0110, wherein downward or upward allocation relationship is part of the hierarchical tree and associated nodes arrangement scheme or function described in Li and in combination with the traversing operational relationships of objects).

As per claim 20, Li teaches a computer system or claim 18 wherein when the resource manager performs the operation of applying a series of resource traversal function, wherein when the resource manager performs the operation of: applying a closure function to the repository containing objects representative of resources to identify a set of closure resources in the network environment that have an indirect relationship to any resources identified by going down and going up, the set of closure resources indicating resources that would be affected by a change made to operation of original resources (Li teaches a set of closure resources indication resources affected by a change; see par 0110-0113).

As per claim 21, Li teaches a computer system of claim 20 wherein when the resource manager performs the operations of applying a series of resource traversal functions including the going down function, the going up function and the closure function, the resource manager performs the operation of: identifying a collective set of action-affected resources that relate to operation of the selected resource and include the set of downward resources, the set of upward resources and the set of closure resources on data flow paths within the network environment (see par 0111-0112).

As per claim 22, Li teaches a computer system of claim 21 wherein the resource manager performs the operations of: receiving a final selection of resource representations in the network environment that represent resources to which a management action is to be applied, the final selection being made from the collective set of action-affected resources that relate to operation of the selected resource; and applying the management action to the final selection of resource representations (see par 0111-0112).

As per claim 24, Li teaches a computer system of claim 22 wherein the management application is a storage management application and the management action is deallocation of resources that operate to store data under management of the management application (par 01289; deallocating LUNs).

As per claim 25, Li teaches a computer system of claim 24 wherein: objects representative of resources in the network environment in the repository are hierarchically arranged in an order and include host objects representing host resources and storage objects representing storage resources in allocated by the host resources and where the host objects are hierarchically above the storage objects in the hierarchically arranged order; and wherein the selected resource representation corresponds to a host object resources (par 0082-0086); and wherein when the resource manager performs the operation of applying the going down function, the resource manager performs the operation of:

down function, the resource manager performs the operation of: traversing operational relationships of host objects, beginning at the selected resource host object in the repository, to identify successive host and storage objects linked in an operational path ending at least one storage object that is a storage device, the going down function thus identifying each host and storage resource allocated for use during access to data in the storage device object by the selected host object resource (par 0110-0111).

Regarding claims 30-35, the steps of applying a series of resource traversal functions, action affected resource in a level of hierarchy of the resources, and receiving final selection of resource representation in the network have already been discussed in the rejection of claims 1-2, 4, 6-8, 10-11, 15-16, 18, 20-22, and 24-25 above. Therefore, they are rejected under the same rationale.

Claims 3, 5, 9, 12-14, 17, 19, 23, 26-28 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

Applicant's arguments filed 10/30/07 have been fully considered but they are not persuasive.

Applicants argued that Li does not teach applying a series of resource traversal functions to a repository and finding actions affected resources. Li is directed to a digital data processing that manages a SAN that includes applying a series of resource traversal functions to a repository containing objects representative of network resources in the network environment, the traversal functions identifying a set of action affected resources in the network environment existing along a set of relationship paths extending to at least one storage device that have a current allocation relationship to the selected resource (paragraphs 0608 and 0611; 0501 and 0502); and presenting a representation of the set of action affected resources in the network environment to a user of the management application, the representation of the set of action affected resources informing the user of resources within the storage area network that are currently in an functional relationship with the selected resource to which a management action is to be applied and that may be affected if the management action is to be applied to the selected resource (paragraphs 0608 and 0611; 0501 and 0502).

Furthermore, Applicants argued that Li does not teach a closure function.

Examiner submits that Applicants have misinterpreted the prior art of record. Li discloses that feature ((Li teaches a set of closure resources indication resources affected by a change; see par 0110-0113).

Accordingly, the rejection is maintained.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frantz B. Jean whose telephone number is 571-272-3937. The examiner can normally be reached on 8:30-6:00 M-f.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan J. Flynn can be reached on 571-272-1915. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

10/750,336 Art Unit: 2154 Page 9

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Frantz Jean

FRANTZ B. JEAN PRIMARY EXAMINER